

# DAVIDTUTERA™

*Fabrics*




## Maxi Skirt

“This Maxi skirt is a perfect go-to for any special occasion or night out, add some accessories to glam up your look”




## SEWING DIRECTIONS:


1. With right sides together stitch the front and back of the underskirt together at the side seams.
2. Stitch the front and back of the overskirt together at the side seams making French seams.  
To make French seams, stitch wrong sides together  $\frac{1}{4}$ " from the seam line in the seam allowance. Trim close to the stitching. With right sides together press the seams. Stitch along the seam-line encasing the raw edges.



3. Pin the right side of the underskirt to the wrong side of the overskirt at the waist matching side seams and having raw edges even. Baste the skirts together.
4. Press the upper edges of the skirt  $\frac{1}{4}$ " in towards the inside. Press again  $\frac{3}{4}$ " towards the inside.
5. To make the casing, stitch close to the lower pressed edge leaving a 2" opening to insert the elastic through.



6. Measure your waist and cut a piece of elastic 1" smaller than measurement.
7. Using a safety pin insert the elastic through the casing. Overlap the ends and stitch together. Stitch the opening closed.



8. Press the bottom edge of the underskirt in  $\frac{1}{4}$ ", then  $\frac{1}{4}$ " again. Stitch close to inner pressed edge.
9. To narrow hem the overskirt, press the raw edge  $\frac{1}{4}$ " towards inside then  $\frac{1}{4}$ " again. Stitch close to inner pressed edge.

